LYNCHBURG CITY COUNCIL Agenda Item Summary

MEETING DATE: July 11, 2006, Work Session AGENDA ITEM NO.: 2

CONSENT: REGULAR: X CLOSED SESSION: (Confidential)

ACTION: INFORMATION: X

ITEM TITLE: Update on the "Midtown Connector" Project

RECOMMENDATION: As noted below.

<u>SUMMARY:</u> Council will be briefed on the "Midtown Connector" project during its work session. The following points will be reviewed.

- Update of the results of the VDOT traffic counts in the corridor and results of their analysis and impact on the project.
- Design considerations as a result of the VDOT traffic analysis, including issues with the railroad bridge/tunnel, drainage, coordination with CSO activities, water utilities replacement and electrical utility relocation or burial.
- Status of meeting with Central Health and tie into their Master Plan
- An overview of the proposed Lakeside Centre development and traffic planning considerations at the 501/221 intersection.
- Designation of a Project Manager
- The City Manager will continue to brief major stakeholders as the project evolves.

PRIOR ACTION (S): September 13, 2005 Work Session

FISCAL IMPACT: Undetermined at this time

CONTACT (S): Kimball Payne, 455-3990

ATTACHMENT (S): VDOT traffic analysis and forecast

Virginia Tech design concept "Medical Arts District Corridor of Confidence"

501/221 Intersection Concept

REVIEWED BY: Ikp

City of Lynchburg Mid Town Connector U000-118-V09, PE101, C501, B616, R201, R202 – UPC 8759 Traffic Forecast May 18, 2006

Traffic analysis and forecast for the Lynchburg Mid-town Connector Phase I (Kemper Street/Park Avenue Corridor) between Route 29 Business (Lynchburg Expressway) and Route 501 Business (Langhorne Road) were developed with 2005 traffic count information as the base year. In using the Urban Traffic Forecast (travel demand) Model developed for the Lynchburg Metropolitan Planning Organization's Long Range Transportation Plan traffic was forecasted to the Year 2030. Anticipated future traffic generations provided by the City of Lynchburg for the development of the Mid-Town Area (Plaza and Centre Health Complex) along with the proposed development of areas adjacent to the Route 501 (Lynchburg Expressway/Old Forest Road) and Route 221 (Lakeside Drive) were factored into the Year 2030 traffic projections. The 2000 edition of the Highway Capacity Software and micro-simulation model Synchro 6 were used to determine the Level of Service (LOS) for both AM and PM Peak Hour time periods for both the corridor's roadway segments and its intersections. Traffic forecast information was generated for the (1) Base Year (2005), (2) Forecast Year (2030) also known as the No-Build Option, and (3) Three-Year 2030 Build Option Alternatives (Five Lane section, Four Lane section, and Five Lane section with no improvements to the Kemper/Park/Fort intersection).

Base Year 2005

The 2005 Base Year traffic volumes along the Kemper Street/Park Avenue Corridor (Mid-town Connector) increases from 8000 Average Daily Volume (ADT) to 15,100 ADT as you progress eastward from Langhorne Road to the Lynchburg Expressway Interchange. Percent truck volumes also varies between 3% and 5 % along the corridor. [Map 1]

Based on travel speed through the corridor, the Base Year Arterial LOS is C or better with the exception of the segment of Kemper Street between 12th Street and Fort Avenue, which has a LOS of D for West (in-bound) traffic. Intersection level of services operates at a LOS of B or better.

Year 2030 No-Build

The Forecast Year 2030 (No-Build) traffic volumes along the Mid-town Connector increase from 10, 300 ADT to 17,100 ADT as you progress eastward. The percent truck volumes remain unchanged from the base year. [Map 1]

Based on modeled travel speeds through the corridor and no roadway improvements, the Arterial LOS is C or better with the exception of Kemper Street between 12th Street and Fort Avenue for both AM and PM peak hours, and Park Avenue West Bound between Fort Avenue and Langhorne Road at PM peak hour that operate at a LOS D. Modeled Year 2030 Intersection level of service along the corridor operates at a LOS C or better.

Lynchburg Mid Town Connector Phase I Traffic Forecast May 18, 2006 Page 2

Year 2030 Build Alternatives

The 2030 Build scenario is based on traffic generated from the construction of a four lane corridor over the entire "original" Lynchburg Cross Town Connector project that began at the Kemper Street/Route 29 Business (Lynchburg Expressway) interchange and ended at the Lakeside Drive/Route 501 (Lynchburg Expressway) intersection. All build alternatives were analyzed with no restrictive left turn movements at intersections.

The Forecast Year 2030 Build Alternative(s) traffic volumes along the Mid-town Connector increase from 12,400 ADT to 19,400 ADT as you progress eastward. No change in the base year percent truck volumes was assumed. [Map 1]


- Alternative 1: Five-Lane (Two Way Left Turn Lanes) Roadway Cross Section Based on modeled travel speeds through the corridor, the Arterial LOS is C or better for both AM and PM peak hour periods. Modeled Year 2030 Intersection level of service along the corridor operates at a LOS of A with the exception of the Intersection of Kemper/Park Fort that has a PM peak hour LOS of B.
- Alternative 2: Alternative 1 Roadway Cross Section with the restriction of a
 Four Lane Section at the Intersection of Kemper/Park/Fort
 Based on modeled travel speeds through the corridor, the Arterial LOS is C or
 better for both AM and PM peak hour periods. Modeled Year 2030 Intersection
 level of service along the corridor operates at a LOS of B or better.
- Alternative 3: Alternative 1 Roadway Cross Section with existing lane configuration at the Intersection of Kemper/Park/Fort
 Based on modeled travel speeds through the corridor, the Arterial LOS is D for West Bound AM and PM peak hours on Kemper Street between Fort Avenue and 12th Street, and East Bound PM peak hour on Park Avenue between Fort Avenue and Langhorne Road. All other roadway segments operated at a LOS of C or better. Modeled Year 2030 Intersection level of service along the corridor operates at a LOS of B or better.

Attachments

Traffic Forecast provided by VDOT-TMPD and Lynchburg District Transportation Planning Engineer, Jeffery B. Kessler.

Reported by Jeffery B. Kessler, May 18, 2006.

Lynchburg City Mid-town Connertor Phase 1 Yraffic Forecast



Lynchburg City Mid Town Connector Phase I Arterial LOS

| Street Name | Signalized Intersections | Street Name | Cross Streets | Mest Bound | East Bound | East Bound | East Bound | Mest Bound | East Bound

Posted Speed = 30 mph

Arterial Class III

2030 AM No-Build

2030 PM No-Build

				2000 AIN NO DUIL			2000 T M 110 Build			
	Signalized	Intersections	Arterial Sp	eed (mph)	Level of	f Sevice	Arterial Sp	eed (mph)	Level of	Sevice
Street Name	Cross	Streets	West Bound	East Bound	West Bound	East Bound	West Bound	East Bound	West Bound	East Bound
Kemper St	16th Street	12th Street	24	27	С	В	26	24	В	В
Kemper St	12th Street	Fort Ave	17	21	D	С	16	20	D	C
Park Ave	Fort Ave	Langhorne Rd	23	26	С	В	16	22	D	C
Park Ave	Langhorne Rd	Memorial Ave	22	25	С	В	23	19	С	С

Posted Speed = 30 mph

Arterial Class III

2030 AM Build Alt. 1 (5-Lane)

2030 PM Build Alt. 1 (5-Lane)

				2000 / un Dana / ut. 1 (o Lune)				2000 i in Duild rut. I (O Luile)			
	Signalized I	Intersections	Arterial Sp	eed (mph)	Level of	Sevice	Arterial Sp	eed (mph)	Level o	Sevice	
Street Name	Cross	Streets	West Bound	East Bound	West Bound	East Bound	West Bound	East Bound	West Bound	East Bound	
Kemper St	16th Street	12th Street	24	27	В	В	25	26	В	В	
Kemper St	12th Street	Fort Ave	19	24	С	С	19	24	С	В	
Park Ave	Fort Ave	Langhorne Rd	27	24	В	В	26	20	В	С	
Park Ave	Langhome Rd	Memorial Ave	25	27	В	В	25	24	В	С	

Posted Speed = 30 mph

Arterial Class III

2030 AM Build Alt. 2 (4-Lane Mod)

2030 PM Build Alt. 2 (4-Lane Mod.)

				o , att Dalla , a	. = (+ COITO ITIC	~)	2000 THI Dallo Alt. 2 (4-Carle Mod.)			
	Signalized	Intersections	Arterial Sp	eed (mph)	Level o	f Sevice	Arterial Sp	eed (mph)	Level of	Sevice
Street Name	Cross	Streets	West Bound	East Bound	West Bound	East Bound	West Bound	East Bound	West Bound	East Bound
Kemper St	16th Street	12th Street	24	27	В	В	26	26	В	В
Kemper St	12th Street	Fort Ave	18	24	С	С	19	24	С	С
Park Ave	Fort Ave	Langhorne Rd		23	В	С	18	20	С	С
Park Ave	Langhorne Rd	Memorial Ave	25	25	В	В	25	19	В	Ć

Posted Speed = 30 mph

Arterial Class III

2030 AM Build Alt. 3 (4-3 Lane)

2030 PM Build Alt. 3 (4-3 Lane)

				ECOC / HITI Balla	MIL. O TO EUR		2000 FW Build Alt. 3 (4-3 calle)			
		Intersections	Arterial Speed (mph)		Level of Sevice		Arterial Speed (mph)		Level of Sevice	
Street Name	Cross	Streets	West Bound	East Bound	West Bound	East Bound	West Bound	East Bound	West Bound	East Bound
Kemper St	16th Street	12th Street	24	27	C	В	24	26	В	В
Kemper St	12th Street	Fort Ave	16	22	D	С	17	23	D	C
Park Ave		Langhorne Rd		24	С	В	18	17	С	D
Park Ave	Langhome Rd	Memorial Ave	26	25	В	В	25	19	В	Ċ

Posted Speed = 30 mph

Arterial Class III

May 10, 2006

Lynchburg City Mid Town Connector Phase I 2005 Base Year Intersection LOS

Base Year 2005 AM Peak

Base Year 2005 PM Peak

Street Name Approach Direction SE NW NE SW Approach LOS A A A C Movement LOS LT TR LTR LTR LTR Intersection LOS A Intersection LOS A	Street Name
Intersection B - Kemper Street and 12th Street	Street Name
Intersection LOS B	Intersection LOS B
Intersection C - Kemper Street and Fort Ave	Intersection C - Kemper Street and Fort Ave
Street Name	Street Name Approach Direction EB WB NB SB Approach LOS A A A A A A Movement LOS L TR L TR LTR TR Intersection LOS A

Lynchburg City May 10, 2006 Mid Town Connector 2030 No-Build

Intersection LOS	
2030 No-Build AM Peak	2030 No-Build PM Peak
Street Name Street Name Approach Direction Approach LOS A A A A A C Intersection LOS A Intersection LOS A	Street Name
Intersection B - Kemper Street and 12th Street	Street Name
Street Name Approach Direction EB WB NB SB Approach LOS A A B B A Movement LOS LTR L TR LTR TR Intersection LOS A Intersection LOS A	Street Name Approach Direction Approach LOS A B B B B B B B B B B B B B B B B B B
Street Name Approach Direction B	Street Name Approach LOS C B Aproach LOS C B AB B AB B

Intersection LOS C


Intersection LOS B

Lynchburg City Mid Town Connector 2030 Build Alt. 1 Intersection LOS


2030 Build Alt. 1 5-Lane AM Peak

Intersection A -	Kemper St	reet and 1	6th Street		
Street Name	September 19	temper of	Blue Engage	Sell Silver	
Approach Direction	SE	NW	NE	SW	i
Approach LOS	A	A	A	C	
Movement LOS	LT TR	LT TR	LTR	L TR	
Movement LOS	A	Α	A	СВ	

Intersection LOS A



Intersection LOS A



Intersection LOS A



Intersection LOS A

2030 Build Alt. 1 5-Lane PM Peak

Intersection A -	Kemper S	treet and 1	6th Street		
Street Name	A Supplied to the supplied to	To the state of th	Bus Fried	8 18 No.	
Approach Direction	SE	NW	NE	SW	
Approach LOS	A	Α	В	В	1
11	LT TR	LT TR	LTR	L TR	1
Movement LOS	A	Α	В	ВВ	1

Intersection LOS A

Intersection B -	Kemper	Street and 1			, /
Street Name	To the state of th	1 * Page		A. A	
Approach Direction	SB	NW	NE	SB	
Approach LOS	Α	A	В	В	
Movement LOS	LT TR	L TR	LTR	L TR	
Movement LOS	A	A A	B B B	ВВ	

Intersection LOS A

Street Name	A. A	, Komos,	A A A A A A A A A A A A A A A A A A A	A A Pool
Approach Direction	EB	f wB	NB	SB
Approach LOS	В	A	A	A
Movement LOS	L TR	L TR	LTR	LTR

Intersection LOS B


Intersection D -	Langhorn	e Road and	Park Ave	
Street Name	A STATE OF THE STA	A A A A A A A A A A A A A A A A A A A	, deposite the second s	Are Strong Propos
Approach Direction	EB	WB	NB	SB
Approach LOS	В	Α	В	Α
Movement LOS	L TR	L TR	L TR	L TR
Movement LOS	A B	A A	A A	AA

Intersection LOS A


Lynchburg City Mid Town Connector 2030 Build Alt. 2 Intersection LOS 2030 Build Alt. 2 4-Lane AM Peak

Intersection A -	Kemper S	treet and 1	6th Street	
Street Name	formation of	former.	Bus Eng.	16th 51mg.
Approach Direction	SE	NW	NE	SW
Approach LOS	Ä	Α	A	С
Movement LOS	LT TR	LT TR	LTR	L TR
Movement LOS	Α	Α	Α	C B

Intersection LOS A



Intersection LOS A



Intersection D -	Langhorn	Road and	Park Ave		
Street Name	A. A	Part Ave	No de la composition della com	And	
Approach Direction	EB	WB	NB	SB	
Approach LOS	A	Α	В	В	1
Movement LOS	LTR	LTR	L TR B B	L TR B B	1

Intersection LOS A

2030 Build Alt. 2 4-Lane PM Peak

Street Name	A STATE OF THE STA	Party	Bus Eng.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Approach Direction	SÈ	NW	NE	sw
Approach LOS	A	A	B	C
	LT TR	LT TR	LTR	L TR
Movement LOS				

Intersection LOS A

Intersection B -	Kemper S	treet and 1	<u>,</u> 7	Tan Sha	· /
Street Name	/ ****	/ F.	1	1	/
Approach Direction	SB	NW	NE	SB	1
Approach LOS	Α	Α	В	В	1
Movement LOS	LT TR	L TR	LTR	L TR]
MOVEMENT LOS	A	A A	B B B	ВВ]

Intersection LOS A

Intersection C -		7	<u> </u>	\	
Street Name	A. A	1 10 M	N TO WAY	A A A	
Approach Direction	EB	WB	NB	SB]
Approach LOS	В	Α	В	В	1
Movement LOS	LT TR	LT TR	L TR	L TR	1
Movement LOS	В	A	B B	ВВ]

Intersection LOS B




Intersection LOS B

Lynchburg City Mid Town Connector 2030 Build Alt. 3 Intersection LOS


2030 Build Alt. 3 4-3 Lane AM Peak

Intersection A -	Kemper S	treet and 1	6th Street		
Street Name	to the state of th	former.	Bus Say	Ser Super	
Approach Direction	SE	NW	NE	SW	
Approach LOS	Α	Α .	Α	C	
Movement LOS	LT TR	LT TR	LTR A	L TR C B	

Intersection LOS A



Intersection LOS B



Intersection LOS B

Intersection D -	Langhorn	Road and	Park Ave	
Street Name	A A A A A A A A A A A A A A A A A A A	Part Alvo	No of the last of	Amonomo Road
Approach Direction	EB	WB	NB	SB
Approach LOS	Α	В	В	Α
Movement LOS	LTR	L T R	L TR A B	L TR

Intersection LOS A

2030 Build Alt. 3 4-3 Lane PM Peak

Intersection A -	Kemper S	treet and 1	6th Street	
Street Name	A STATE OF THE STA	A STATE OF THE PER STAT	Bus Frings	\$ / jage /
Approach Direction	SE	NW	NE	SW
Approach LOS	Α	Α	В	С
Movement LOS	LT TR	LT TR	LTR	L TR
Wickellieur FOS	Α	A	В	СВ

Intersection LOS A

Intersection B -	Kemper S			
Street Name	Tour A	\ ************************************		No. No. of the last of the las
Approach Direction	SB	NW	NE	SB
Approach LOS	Α	Ä	В	В
Movement LOS	LTTR	L TR	LTR	L TR
WOVERHEAL LOS	A	AA	ВВВ	B C

Intersection LOS B

Intersection C -	$\overline{}$			7	
Street Name	A A A SA	To The state of th	N A POOL	A. A	
Approach Direction	EB	WB	NB	SB	1
Approach LOS	В	Α	В	В	1
Movement LOS	L TR A B	L TR	L TR B B	L TR	

Intersection LOS B

Intersection D - Langhorne Road and Park Ave					
Street Name	Part Alva	Part Ales	No. of the last of	A POST OF THE POST	
Approach Direction	EB	WB	NB	SB	
Approach LOS	В	В	A	В	
Movement LOS	LTR	LTR	L TR B A	L TR A B	

Intersection LOS B